

## UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/654,368	09/02/2003		Jon P. St. Germain	161,700-079	4228
34263	7590	05/04/2006	EXAMINER		INER
		YERS LLP	LEE, YUN HAENG NMN		
	610 NEWPORT CENTER DRIVE 17TH FLOOR				PAPER NUMBER
NEWPORT BEACH, CA 92660				3766	<u>-</u>
				DATE MAILED: 05/04/2006	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	10/654,368	ST. GERMAIN ET AL.					
Office Action Summary	Examiner	Art Unit					
	Yun H. Lee	3766					
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply							
A SHORTENED STATUTORY PERIOD FOR REPL' WHICHEVER IS LONGER, FROM THE MAILING D.  Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication.  If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be timwill apply and will expire SIX (6) MONTHS from a cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on 10 J	<u>une 2005</u> .						
	·						
· · · · · · · · · · · · · · · · · · ·	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is						
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.							
Disposition of Claims							
4) Claim(s) 1-16,22,29,40 and 49 is/are pending	in the application.						
4a) Of the above claim(s) is/are withdra	4a) Of the above claim(s) is/are withdrawn from consideration.						
5) Claim(s) is/are allowed.	•						
6) Claim(s) is/are rejected.							
	Claim(s) is/are objected to.						
8) Claim(s) 1-16,22,29,40 and 49 are subject to restriction and/or election requirement.							
Application Papers							
9)☐ The specification is objected to by the Examine							
10) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).							
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.							
11) The oath or declaration is objected to by the Ex	xaminer. Note the attached Office	Action or form PTO-152.					
Priority under 35 U.S.C. § 119							
<ul> <li>12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some * c) None of:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* See the attached detailed Office action for a list of the certified copies not received.</li> </ul>							
Geo the attached detailed Office deticit for a list	. 2						
Attachment(s)	о <b>П</b> .,	. (DTO 410)					
<ol> <li>Notice of References Cited (PTO-892)</li> <li>Notice of Draftsperson's Patent Drawing Review (PTO-948)</li> </ol>	4) Interview Summary Paper No(s)/Mail D						
Notice of Draitsperson's Patient Drawing Neview (170-940)     Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08     Paper No(s)/Mail Date	m \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Patent Application (PTO-152)					

Application/Control Number: 10/654,368 Page 2

Art Unit: 3766

## **DETAILED ACTION**

## Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1-16, 29 and 49, drawn to a method for mechanically assisting the pumping action of the heart, classified in class 600, subclass 16.
- II. Claims 22 and 40, drawn to a catheter for mechanically assisting the pumping action of the heart, classified in class 600, subclass 16.

The inventions are distinct, each from the other because of the following reasons:

- 2. Inventions I and II are related as process and apparatus for its practice. The inventions are distinct if it can be shown that either: (1) the process as claimed can be practiced by another and materially different apparatus or by hand, or (2) the apparatus as claimed can be used to practice another and materially different process. (MPEP § 806.05(e)). In this case the apparatus as claimed can be used to practice another and materially different process such as measuring blood pressure.
- 3. Because these inventions are independent or distinct for the reasons given above and have acquired a separate status in the art because of their recognized divergent subject matter, restriction for examination purposes as indicated is proper.
- 4. This application contains claims directed to the following patentably distinct species: the subspecies wherein the expandable member is maintained in an expanded state during systole and diastole; the subspecies wherein the expandable member is cycled between an expanded state and a contracted state; the subspecies wherein the balloon is expanded by filling with saline; the subspecies wherein the balloon is

Application/Control Number: 10/654,368

Art Unit: 3766

expanded by filling with carbon dioxide; the subspecies wherein the expandable member is expanded to fully obstruct the aorta; the subspecies wherein the expandable member is expanded to partially obstruct the aorta; the subspecies having two balloons; the subspecies having three balloons.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claims are generic. Applicant may elect more than one subspecies to form a single species (i.e., working embodiment) provided the subspecies elected are not mutually exclusive and provided the combination of subspecies has been disclosed in the specification. For example, Applicant may elect the subspecies wherein the expandable member is maintained in an expanded state during systole and diastole, the subspecies wherein the balloon is expanded by filling with saline, the subspecies wherein the expandable member is expanded to fully obstruct the aorta, and the subspecies having two balloons, as long as this working embodiment has been originally disclosed. Applicant may not, however, elect an embodiment containing the subspecies wherein the expandable member is maintained in an expanded state during systole and diastole, along with the subspecies wherein the expandable member is cycled between an expanded state and a contracted state, as these subspecies are clearly mutually exclusive.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a listing of all claims readable thereon, including any claims subsequently added. An argument that a claim

Application/Control Number: 10/654,368

Art Unit: 3766

is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which depend from or otherwise require all the limitations of an allowable generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species.

MPEP § 809.02(a).

5. Applicant is advised that the reply to this requirement to be complete must include (i) an election of a species or invention to be examined even though the requirement be traversed (37 CFR 1.143) and (ii) identification of the claims encompassing the elected invention.

The election of an invention or species may be made with or without traverse. To reserve a right to petition, the election must be made with traverse. If the reply does not distinctly and specifically point out supposed errors in the restriction requirement, the election shall be treated as an election without traverse.

Should applicant traverse on the ground that the inventions or species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the inventions or species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C.103(a) of the other invention.

Application/Control Number: 10/654,368 Page 5

Art Unit: 3766

6. Applicant is reminded that upon the cancellation of claims to a non-elected invention, the inventorship must be amended in compliance with 37 CFR 1.48(b) if one or more of the currently named inventors is no longer an inventor of at least one claim remaining in the application. Any amendment of inventorship must be accompanied by a request under 37 CFR 1.48(b) and by the fee required under 37 CFR 1.17(i).

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yun H. Lee whose telephone number is (571) 272-2847. The examiner can normally be reached on M-Th 9-7.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert E. Pezzuto can be reached on (571) 272-6996. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Supervisory Patent Examiner

Art Unit 3766